



Pak'ntainer[®] Portable, Economical Self-Contained Compactor/Container

*Portable
design for easy
placement!*

*Front, rear, and
through-the-wall
loading options!*

*Available with
a 100% solar
or solar-hybrid
option to reduce
dependence on
the power grid!*



RAMJET 
Stationary and self-contained compactors.



**Environmental
Solutions Group**
A DOVER COMPANY

2011
P R O D U C T S H E E T

Supermarkets

Restaurants

Hospitals

Clinics

Nursing Homes

Shopping Centers

Hotels

Inflight Kitchens

Malls

*Manufacturing
Facilities*

Schools

Marathon's Pak'ntainer® (MPT) Available in 3, 4, 5, and 6 Cubic Yard Front-Load and 6 Cubic Yard Rear- Load Models



Ideally suited for weekly
volumes of less than 120 cubic
yards (92 cubic meters) of
uncompacted wet or dry/general
waste materials

**Marathon's Pak'ntainer is a
portable and economical self-contained
compactor/container with remote power pack.**

It's designed for compacting and containing wet or dry waste and simplifying waste dumping.

The Pak'ntainer helps maintain a sanitary environment, while saving money, for those generating as little as 20 cubic yards of refuse a week. Place the Pak'ntainer wherever needed, whenever needed — temporarily or permanently — no anchoring, no concrete pad, no special surfaces required. It can be used alone or to "fill the gap" in combination with other units.

The container is tapered to achieve superior compaction ratios and aid waste ejection, which eliminates excessive wear and tear on collection trucks. Liquid-tight construction helps ensure a sanitary environment. The drain enables water to be removed, lowering disposal costs.

Features and Benefits:

- ▼ Large 46 x 22.5 inch (1168 x 571mm) clear top opening handles even large, bulky items.
- ▼ CYCON Control System (for use with 3-phase only) eliminates all pressure and limit switches dramatically improves cold weather performance, and reduces maintenance costs and down time.
- ▼ Fixed breaker-bar teeth help keep materials in container and charge box clear.
- ▼ Hydraulic plumbing to both sides with quick-release disconnects for added versatility in any application.
- ▼ Tri-voltage standard for easy conversion to 208-, 230-, or 460-volt power.
- ▼ Single-phase 110 with 3/4 hp motor available at no additional charge.
- ▼ Heavy-duty hinges for durability.
- ▼ Lockable panel box to increase security.



This 6 cubic yard Pak'ntainer is a rear-load model.

Options:

- ▼ Hopper enclosures
- ▼ Security chute
- ▼ 90-gallon cart dumpers
- ▼ Ozone generator



Easy-to-operate latch — saves on time and maintenance.




Pak'ntainer with optional hopper and plastic lids to keep contents in, rain out.



Pak'ntainer is designed for compatibility with a wide variety of collection vehicles.

Pak'ntainer® Portable, Economical Self-Contained Compactor/Container

Specifications:					
Total Capacity	3, 4, 5, or 6 cy		2.3, 3.1, 3.8 or 4.6 m ³		
Compactor Capacity	0.5 cy		4 m ³		
Clear Top Opening	46"W x 22½"L		1168mm x 572mm		
Ram Face Size	48"W x 20H		1219mm x 508mm		
	3 cy FL	4 cy FL	5 cy FL	6 cy FL	6 cy RL
Total Weights	2,600 lbs. (1179 kg)	2,700 lbs. (1225 kg)	2,850 lbs. (1293 kg)	2,950 lbs. (1338 kg)	3,400 lbs. (1542 kg)
Lift Weights	2,300 lbs. (1043 kg)	2,400 lbs. (1089 kg)	2,550 lbs. (1157 kg)	2,650 lbs. (1202 kg)	3,100 lbs. (1406 kg)
<i>FL = Front Load, RL = Rear Load</i>					
Performance Characteristics:					
Cycle Time	28 sec.		28 sec.		
Force	19,800 lbf		88 kN		
Ram Face Pressure	20.6 psi		142 kPa		
Ram Penetration	3½"		343mm		
Electrical & Hydraulic Equipment:					
Motor	3 hp		2.24 kW		
Pump	3 gpm		11.4 L/min		
Pressure	2400 psi		166 bar		
Cylinder Bore	2½" ø		64mm		
Cylinder Rod	1¼" ø		32mm		
Cylinder Shaft	18½"L		470mm		
Reservoir	5 gal.		19 liters		



	A	B	C	D	Weight
MPT-6 RL	148½" (3772mm)	78" (1981mm)	84¼" (2140mm)	32⅝" (835mm)	3,400 lbs. (1542 kg)
MPT-3 FL	78⅞" (2003mm)	81¼" (2076mm)	59¼" (1505mm)	32⅝" (835mm)	2,600 lbs. (1179 kg)
MPT-4 FL	84⅞" (2156mm)	81¼" (2076mm)	65¼" (1657mm)	32⅝" (835mm)	2,700 lbs. (1225 kg)
MPT-5 FL	90⅞" (2308mm)	81¼" (2076mm)	71¼" (1810mm)	32⅝" (835mm)	2,850 lbs. (1293 kg)
MPT-6 FL	96⅞" (2461mm)	81¼" (2076mm)	77¼" (1962mm)	32⅝" (835mm)	2,950 lbs. (1338 kg)

FL = Front Load, RL = Rear Load

Compactor Rental and Leasing Programs Available

For detailed specifications, recommendations, or free economic studies comparing various systems, contact Marathon's Technical Specialist at **1-800-633-8974**.

For Product Literature, call **1-800-269-7237**.



Authorized Dealer:



Marathon Equipment Company
 P.O. Box 1798
 Vernon, AL 35592-1798
 800.633.8974
www.marathonequipment.com
www.nexgenbalers.com



Environmental Solutions Group
 A DOVER COMPANY

www.doveresg.com

Pictures in this literature are illustrative only. Specifications are subject to change without notice in order to accommodate improvements to the equipment. Certified in compliance with ANSI Regulation Z245.2, all OSHA standards, and certified under WASTEC's Stationary Compactor Certification Program. Products must be used with safe practice and in accordance with said regulations and standards.